

1 0005 BUILDING SECTION

1/8" = 1'-0"



2 0005 BUILDING SECTION

1/8" = 1'-0"

KEYNOTE LEGEND	
KEY VALUE	KEYNOTE TEXT
04	OVERHEAD COILING DOOR, MODIFY EXISTING WALL TO SUIT
05	PERSONNEL DOOR.
08	METAL WALL PANEL.
09	MECH EQUIPMENT - SEE MECHANICAL DRAWINGS
12	PREFINISHED METAL GUTTER.
13	PREFINISHED METAL DOWNSPOUT.
15	METAL ROOF PANEL.
19	FORKLIFT GUARD RAIL
20	6" STEEL BOLLARD
21	METAL STAIR AND LANDING
23	DOCK LEVELER
24	DOCK BUMPER
25	DOCK SHELTER
29	PREFINISHED METAL RAKE TRIM.

DOOR HARDWARE

MANUFACTURER'S ABBREVIATIONS

HS-HES
LC-LCN
MK-MCKINNEY
PE-PEMKO
RO-ROCKWOOD
SC-SCHLAGE
SU-SECURITRON
VD-VON DUPRIN

HW SET 1

3 HINGE - TA2714	US26D MK
1 CYLINDER LOCK - ND53 T RHO	626 SC
1 CYLINDER - 23-030	626 SC
DOOR STOP - 406/409/441	US26D RO
GASKETING - S88D	PE
SWEEP - 315CN	PE

HW SET 2

3 HINGE - TA2714	US26D MK
1 RIM EXIT(NL) - 99L-NL 06 996L-NL LHR	UD26D VD
1 CYLINDER - 23-030	626 SC
DOOR STOP - 4040XP SCUSH	AL LC
GASKETING - S88D	PE
SWEEP - 315CN	PE
1 THRESHOLD-172A	PE
1 RAIN GUARD-346C	PE

HW SET 3

3 HINGE - TA2714	US26D MK
1 RIM EXIT(NL) - 99L-NL 06 996L-NL LHR	UD26D VD
1 CYLINDER - 23-030	626 SC
DOOR STOP - 4040XP SCUSH	AL LC
GASKETING - S88D	PE
SWEEP - 315CN	PE
1 THRESHOLD-172A	PE
1 RAIN GUARD-346C	PE
1 ELEC STRIKE-9600-LBSM	630 HS
1 SMART PAC BRIDGE RECTIFIER-2005M3	HS
1 FRAME HARNESS-QC-C1500P (AS REQD)	MK
1 POSITION SWITCH - DPS-W/M-BK	SU

OPERATIVE DESCRIPTION:
DOOR NORMALLY CLOSED , LATCHED AND LOCKED.
PRESENTING VALID CREDENTIAL OR KEY WILL OVERRIDE TO ACCESS.
HARDWARE REMAIN LOCKED WHEN POWER FAILS
FREE TO EGRESS ALL TIMES.
DOOR AND LOCK STATUS MONITORED.

HW SET 4

3 HINGE - TA2714	US26D MK
1 RIM EXIT(NL) - 99L-NL 06 996L-NL LHR	UD26D VD
1 CYLINDER - 23-030	626 SC
DOOR STOP - 4040XP SCUSH	AL LC
GASKETING - S88D	PE
SWEEP - 315CN	PE
1 ELEC STRIKE-9600-LBSM	630 HS
1 SMART PAC BRIDGE RECTIFIER-2005M3	HS
1 FRAME HARNESS-QC-C1500P (AS REQD)	MK
1 POSITION SWITCH - DPS-W/M-BK	SU

OPERATIVE DESCRIPTION:
DOOR NORMALLY CLOSED , LATCHED AND LOCKED.
PRESENTING VALID CREDENTIAL OR KEY WILL OVERRIDE TO ACCESS.
HARDWARE REMAIN LOCKED WHEN POWER FAILS
FREE TO EGRESS ALL TIMES.
DOOR AND LOCK STATUS MONITORED.



3 H1 / J1

1 1/2" = 1'-0"



4 H2 /J2

1 1/2" = 1'-0"



DOOR TYPES

1/4" = 1'-0"

DOOR FRAMES

1/4" = 1'-0"

DOOR SCHEDULE

	Door						Frame							
Door #	Door Type	Width	Height	Thickness	Material	Finish	Frame Type	Frame Material	Frame Finish	Head	Jamb	Sill	Hardware	Comments
1-104C	2	12' - 0"	10' - 0"	0' - 0"	STL	P	-	STL	P	H2	J2		-	EXISTING DOOR
1-104D	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		-	EXISTING DOOR
1-104E	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 3	NEW DOOR EXISTING BUILDING
1-104F	2	15' - 2 1/2"	14' - 0"	0' - 0"	STL	P	-	STL	P	H2	J2		-	EXISTING DOOR
1-104N	-	3' - 3"	8' - 2 1/2"		-	MANUF	-	-	MANFU	-	-		-	FENCE GATE
1-105A	2	12' - 0"	10' - 0"	0' - 0"	STL	P	-	STL	P	H2	J2		-	EXISTING DOOR
1-105B	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		-	EXISTING DOOR
1-105C	2	12' - 0"	10' - 0"	0' - 0"	STL	P	-	STL	P	H2	J2		-	EXISTING DOOR
1-105D	2	9' - 0"	10' - 0"	0' - 2"	STL	P	-	STL	P	H2	J2		-	
101A	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 3	
101B	RU	10' - 0"	10' - 0"	0' - 2"	STL	P	-	STL	P	H2	J2		-	MOTORIZED, BUG SCREEN H-7157 BY ULINE 800-295-5510
101C	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 3	
101D	2	8' - 0"	9' - 0"	0' - 3"	STL	P	-	STL	P	H2	J2		-	MOTORIZED
101E	2	8' - 0"	9' - 0"	0' - 3"	STL	P	-	STL	P	H2	J2		-	MOTORIZED
101F	RU	10' - 0"	10' - 0"	0' - 2"	STL	P	-	STL	P	H2	J2		-	MOTORIZED, BUG SCREEN H-7157 BY ULINE 800-295-5510
101G	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 3	
101H	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 3	
102A	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 1	
102B	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 1	
103A	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM	P	A	HM	P	H1	J1		SET 2	
103B	1	3' - 0"	7' - 0"	0' - 1 3/4"	HM		A	HM	P	H1	J1		SET 4	
104A	-	3' - 3"	8' - 2 1/2"		-	MANUF	-	-	MANFU	-	-		-	FENCE GATE

THIS DOCUMENT CONTAINS DATA THAT IS CONFIDENTIAL AND IT MAY NOT BE COPIED OR DISCLOSED, AND MAY BE USED BY THE CLIENT ONLY IN THE CONTEXT AND FOR THE EXPRESS PURPOSE FOR WHICH IT WAS INTENDED. ANY USE OF, OR RELIANCE ON, THIS DOCUMENT BY ANY THIRD PARTY IS AT THAT PARTY'S SOLE RISK.

ISOMER PROJECT GROUP
115 WELBORN ST. SUITE A
GREENVILLE, SC 29601
www.isomer.group

REV	DATE	REVISION & ISSUE HISTORY	DES	CHK	APP
0	07-24-2023	ISSUE FOR CONSTRUCTION	CPR	SM	MCJ

STAMP / SEAL
STATE OF FLORIDA · CLAY JONES · AR94571 · 07/24/23 · REGISTERED ARCHITECT

SCALE AS NOTED

tellus plant product planet

WAREHOUSE EXPANSION
TELLUS PRODUCTS, LLC
37021 GATOR BLVD
BELLE GLADE FL, 33430

ISOMER

DOCUMENT TITLE
ARCHITECTURE
BUILDING SECTIONS
TELLUS PROJECT
WAREHOUSE EXPANSION

PROJECT NO.	DRAWING NO.	REV.
TEL2305	AR-DWG-0006	0

ARCH D-24-06